

## Technical Datasheet

# Paliogen® Blue L 6482

Transparent indanthrone blue with high chroma and color strength

Colour Index™	P.B. 60   69800
Chemical Class	Indanthrone



FullShade  
Alkyd / Melamine



1/3 Standard Depth  
Alkyd / Melamine  
1:12,4 TiO2



80:20 Aluminum  
two-coat metallic



50:50 Paliocrom Gold L 2000  
two-coat metallic

### Physical Properties

Bulk volume	2 L/kg	pH	5 - 8
Conductivity	< 200 µS/cm	Specific surface	4 m²/g
Density	1,55 g/cm³	Thermal resistance	250 °C
Dry content	≥ 98,5 %		

## Chemical Fastness

of FullShade in Alkyd / Melamine

Substance	value (GS)
-----------	------------

Alkali (2% NaOH)	5
------------------	---

Acid (2% HCl)	5
---------------	---

## Suitability in Medium

Air-drying alkyd	●
------------------	---

Amine-curable	●
---------------	---

Acid-curable	●
--------------	---

Acrylic / isocyanate	●
----------------------	---

Water-based	○
-------------	---

Baking finishes	●
-----------------	---

## Solvent Fastness

Butyl acetate	3 - 4
---------------	-------

MEK	3
-----	---


White spirit	3,5
--------------	-----

Xylene	3 - 4
--------	-------

Ethanol	4
---------	---

1-methoxypropan-2-ol	3
----------------------	---

## Electron Microscope Image



## Note

Although the information presented here is believed to be reliable, Sun Chemical Corporation makes no representation or guarantee to its accuracy, completeness or reliability of the information. All recommendations and suggestions are made without guarantee, since the conditions of use are beyond our control. There is no implied warranty of merchantability or fitness for purpose of the product or products described herein. In no event shall Sun Chemical Corporation be liable for damages of any nature arising out of the use or reliance upon the information. Sun Chemical Corporation expressly disclaims that the use of any material referenced herein, either alone or in combination with other materials, shall be free of rightful claim of any third party including a claim of infringement. The observance of all legal regulations and patents is the responsibility of the user.

Greyscale (GS) 5 (best) - 1 (worst); Blue Wool Scale (BWS) 8 (best) - 1 (worst)

suitable       potential suitable       not suitable